

CORPORATE OFFICE

Halonix Technologies Limited

B - 31, Phase - 2, Noida
Dist. Gautam Budh Nagar (U.P) - 201305
Tel: +91 - 120 - 4756100, Fax: +91 - 120 - 4756101
E - mail : customercare@halonix.co.in

REGIONAL OFFICE EAST

Halonix Technologies Limited

67B Ballygunj Circular Road,
Ballygunj Park Tower, 9th Floor,
Kolkata - 700019
Tel: +91 - 033 - 30522790

WEST

Halonix Technologies Limited

B403 - 404, Kemp Plaza,
Above Bank of Baroda,
Near Mind Space, Off Link Road,
Malad - West, Mumbai - 400064
Tel: +91 - 022 - 42646362

SOUTH

Halonix Technologies Limited

No.6, "Legacy" 1st Floor, Convent Road,
Richmond Town, Bengaluru - 560025
Tel: +91 - 080 - 30527032



LUMINAIRES PRICE LIST

LED Luminaires | Commercial Luminaires | Industrial Luminaires
Street Lighting Luminaires | Flood Light Luminaires | Lamps & Accessories

ABOUT US

Halonix Technologies is amongst India's fastest growing residential and institutional lighting company. Set up over 2 decades ago as a Indo-Japanese joint venture, Halonix has made the successful transition from being a largely private label business to a profitable branded business.

The success of Halonix has been built on the back of its unparalleled ability to develop, test and deploy lighting solutions relevant and suitable for Indian conditions. Due to its keen focus on innovation and quality control, the brand is widely accepted all across India by consumers and trade alike.

Halonix is a progressive, environment friendly lighting company. It is keenly focused on emerging technologies like LED and CFL's. It has amongst the widest range of products across LED, CFL, Luminaires, Home Decorative Lighting, Halogens and High Intensity Discharge Lamps. As a brand that stands for 'The right light', Halonix continues to push the boundaries to develop better solutions across the spectrum of home and commercial lighting.

It has state-of-the-art manufacturing facilities and has been accredited with ISO 9001, ISO 14001, and OHSAS 18001 certification. It has a dedicated R&D team with a fully equipped state-of-the-art laboratory that tests and develops products tailor-made for India.

CONTENTS

LED LUMINAIRES	01 - 15
COMMERCIAL LUMINAIRES	16 - 23
INDUSTRIAL LUMINAIRES	24 - 29
STREET LIGHTING LUMINAIRES	30 - 35
FLOOD LIGHT LUMINAIRES	36 - 39
LAMPS & ACCESSORIES	40 - 46



LED
LUMINAIRES

PRODUCT CAT REF NO. SYSTEM WATTAGE LP (IN ₹.)

LED FLAT PANELS



RADIANCE - PRISM

Recess mounting LED Flat Panel 2'x2' with high efficient LEDs & glare free prismatic diffuser.

HLFPR22-01-36-CW	36W	12400.00
HLFPR22-01-36-WW	36W	12400.00



RADIANCE - OPAL

Recess mounting LED flat panel 2'x2' with high efficient LEDs & glare free full opal diffuser.

HLFPR22-02-36-CW	36W	12800.00
HLFPR22-02-36-WW	36W	12800.00

Recess mounting LED flat panel 2'x2' with high efficient LEDs & glare free full opal diffuser.

HLFPR22-02-48-CW	48W	POR
HLFPR22-02-48-WW	48W	POR



RADIANCE - SOFT

Recess mounting LED Flat Panel 2'x2' with high efficient LEDs & glare free opal diffuser in center.

HLFPR22-05-40-CW	40W	11200.00
HLFPR22-05-40-WW	40W	11200.00



RADIANCE - ULTRA SLIM

Recess/Pendant mounting Ultraslim LED flat panel 2'x2' with high efficient LEDs & glare free opal diffuser.

HLFPU22-02-36-CW	36W	13200.00
HLFPU22-02-36-WW	36W	13200.00



Recess/Pendant mounting Ultraslim LED flat panel 1'x1' with high efficient LEDs & glare free opal diffuser.

HLFPU11-03-18-CW	18W	9500.00
HLFPU11-03-18-WW	18W	9500.00

**INDOOR
LIGHTING**

PRODUCT CAT REF NO. SYSTEM WATTAGE LP (IN ₹.) PRODUCT CAT REF NO. SYSTEM WATTAGE LP (IN ₹.)

LED DOWN LIGHTERS



SPOT

Recess mounting adjustable LED spot light with high efficient LEDs.

HLDLR-04-06-CW	6W	1650.00
HLDLR-04-06-WW	6W	1650.00
HLDLR-04-09-CW	9W	2450.00
HLDLR-04-09-WW	9W	2450.00



COSMIC

Recess mounting LED down lighter with high efficient LEDs & highly brightened aluminium reflector.

HLDLR-01-09-CW	9W	3370.00
HLDLR-01-09-NW	9W	3370.00
HLDLR-01-09-WW	9W	3370.00
HLDLR-01-18-CW	18W	4770.00
HLDLR-01-18-NW	18W	4770.00
HLDLR-01-18-WW	18W	4770.00



PRISM

Recess mounting LED down lighter with high efficient LEDs & and glare free prismatic diffuser.

HLDLR-03-09-CW	9W	4100.00
HLDLR-03-09-WW	9W	4100.00



COOL

Recess mounting LED down lighter with high efficient LEDs & and glare free opal diffuser.

HLDLR-02-05-CW	5W	1750.00
HLDLR-02-05-WW	5W	1750.00
HLDLR-02-09-CW	9W	2700.00
HLDLR-02-09-WW	9W	2700.00
HLDLR-02-15-CW	15W	4200.00
HLDLR-02-15-WW	15W	4200.00
HLDLR-02-18-CW	18W	5350.00
HLDLR-02-18-WW	18W	5350.00
HLDLR-02-30-CW	30W	10100.00
HLDLR-02-30-WW	30W	10100.00

*COOL Downlighter range is also available in Neutral White (NW) CCT.



MOD SQUARE - SURFACE

Surface mounting LED slim square down lighter with high efficient LEDs & glare free opal diffuser

HLDLS-S06-08-CW	8W	3290.00
HLDLS-S06-08-WW	8W	3290.00
HLDLS-S06-15-CW	15W	5290.00
HLDLS-S06-15-WW	15W	5290.00
HLDLS-S06-22-CW	22W	7920.00
HLDLS-S06-22-WW	22W	7920.00



MOD SQUARE - RECESS

Recess mounting LED slim square down lighter with high efficient LEDs & glare free opal diffuser

HLDLR-S06-08-CW	8W	2900.00
HLDLR-S06-08-WW	8W	2900.00
HLDLR-S06-15-CW	15W	4765.00
HLDLR-S06-15-WW	15W	4765.00
HLDLR-S06-22-CW	22W	7085.00
HLDLR-S06-22-WW	22W	7085.00



MOD ROUND - SURFACE

Surface mounting LED slim circular down lighter with high efficient LEDs & glare free opal diffuser

HLDLS-R06-06-CW	6W	3125.00
HLDLS-R06-06-WW	6W	3125.00
HLDLS-R06-12-CW	12W	4715.00
HLDLS-R06-12-WW	12W	4715.00
HLDLS-R06-18-CW	18W	7250.00
HLDLS-R06-18-WW	18W	7250.00



MOD ROUND - RECESS

Recess mounting LED slim circular down lighter with high efficient LEDs & glare free opal diffuser

HLDLR-R06-06-CW	6W	2765.00
HLDLR-R06-06-WW	6W	2765.00
HLDLR-R06-12-CW	12W	3835.00
HLDLR-R06-12-WW	12W	3835.00
HLDLR-R06-18-CW	18W	6420.00
HLDLR-R06-18-WW	18W	6420.00

*MOD Downlighter range is also available in Neutral White (NW) CCT.

PRODUCT CAT REF NO. SYSTEM WATTAGE LP (IN ₹.)



BAY LIGHT

LED bay lights with high efficient LEDs & aluminium reflector.

HLBL-01-050-CW	50W	30000.00
HLBL-01-100-CW	100W	43000.00
HLBL-01-150-CW	150W	55000.00




ELECTRA - LED TUBE LIGHT

LED Tube lights with high efficient LEDs available in Clear (C) & Milky (D) diffuser.

HLTLD-01-18-CW	18W	4785.00
HLTLD-01-18-NW	18W	4785.00
HLTLD-01-18-WW	18W	4785.00
HLTLC-01-18-CW	18W	4785.00
HLTLC-01-18-NW	18W	4785.00
HLTLC-01-18-WW	18W	4785.00

SAVE MORE ENERGY AND MONEY

WITH INNOVATIVE MOD DOWNLIGHTS



The stylish and ultra slim MOD downlights are designed in two kind of shapes - square and round. These are available in both surface and recess mounting options.

With an aesthetic and efficient product design, these eco - friendly lights offer up to 85% energy efficiency that will last up to 50,000 burning hours. What's more, these downlights produce no glare, no flicker or hot spots as they use Edge Lit Technology. The High Transmittance Light Guide Profile also acts as a diffuser and ensures uniform distribution of light.

- Ultra slim design that compliments low depth ceiling
- Best design compatibility with modern architectural demands
- Environment friendly product with no mercury contents

PRODUCT CAT REF NO. SYSTEM WATTAGE LP (IN ₹.)

LED STREET LIGHTS



LUMOS - MINI

Highly efficient mid power LED Street light with pressure die cast aluminium housing, reflector and enclosed with toughened glass. IP65

HLSLD-01-09-CW	9W	9100.00
HLSLD-01-12-CW	12W	9300.00
HLSLD-01-15-CW	15W	9500.00



LUMOS - OVAL

Highly efficient mid power LED Street light with pressure die cast aluminium housing, reflector and enclosed with toughened glass. IP65

HLSLD-01-18-CW	18W	11000.00
HLSLD-01-24-CW	24W	12000.00
HLSLD-01-30-CW	30W	14500.00



LUMOS - PLUS

Highly efficient mid power LED Street light with pressure die cast aluminium housing, reflector and enclosed with toughened glass. IP65

HLSLD-01-36-CW	36W	16500.00
HLSLD-01-45-CW	45W	20000.00
HLSLD-01-60-CW	60W	25000.00
HLSLD-01-72-CW	72W	29000.00



LUMOS - SUPER

Elegantly designed highly efficient high power LED Street light with pressure die cast aluminium housing, reflector enclosed with toughened glass. IP65

HLSLD-02-36-CW	36W	21000.00
HLSLD-02-45-CW	45W	28000.00
HLSLD-02-60-CW	60W	32000.00
HLSLD-02-72-CW	72W	36000.00
HLSLD-02-80-CW	80W	41000.00
HLSLD-02-90-CW	90W	45000.00
HLSLD-02-120-CW	120W	60000.00
HLSLD-02-160-CW	160W	POR

**OUTDOOR
LIGHTING**

PRODUCT CAT REF NO. SYSTEM WATTAGE LP (IN ₹.) PRODUCT CAT REF NO. SYSTEM WATTAGE LP (IN ₹.)



LUMOS - SUPER - WITH LENS

Elegantly designed highly efficient high power LED Street light with oval lens with pressure die cast aluminium housing, reflector enclosed with toughened glass. IP65

HLSLD-02-36-CWL	36W	22800.00
HLSLD-02-45-CWL	45W	29800.00
HLSLD-02-60-CWL	60W	34000.00
HLSLD-02-72-CWL	72W	38000.00
HLSLD-02-80-CWL	80W	43000.00
HLSLD-02-90-CWL	90W	47000.00
HLSLD-02-120-CWL	120W	62000.00
HLSLD-02-160-CWL	160W	POR



SOLARAN-LED SOLAR STREET LIGHT SYSTEM

LED solar street light system comprising of LED Luminaire, pole, PV Panel, Battery, Charge controller and other required accessories.

HLSSLD-1P02-12-CW 2DA	12W	POR
HLSSLD-1P02-15-CW	15W	POR
HLSSLD-2P02-2X12-CW	2x12W	POR
HLSSLD-1P02-4x30W-CW	4x30W	POR

LED FLOOD LIGHTS



COB - FLOOD LIGHT

High efficient chip on board LED Flood light with pressure die cast aluminium housing, reflector and enclosed with toughened glass. IP65

HLFL-01-030-CW	30W	14000.00
HLFL-01-050-CW	50W	20000.00
HLFL-01-080-CW	80W	30000.00
HLFL-01-120-CW	120W	40000.00



MULTI - LED FLOOD LIGHT

Highly efficient multi LED Flood light with pressure die cast aluminium housing, reflector and enclosed with toughened glass. IP65

HLFL-ML04-60-CW	60W	24000.00
HLFL-ML04-100-CW	100W	35000.00
HLFL-ML04-150-CW	150W	50000.00

LED LANDSCAPE LIGHTS



STRIP LIGHT-IP65

Single color LED flexible Strip light. IP65

HLFSL-01-30-CW	30W	POR
HLFSL-01-30-WW	30W	POR
HLFSL-01-60-CW	60W	POR
HLFSL-01-60-WW	60W	POR



BOLLARD

LED based Bollard with aluminium extruded housing with glare free PMMA opal diffuser.

HLOB-01-12-CW	12W	POR
HLOB-01-12-WW	12W	POR



GROUND BURIAL LIGHT

LED based Ground Burial light with die cast aluminium housing, enclosed with toughened glass. IP65

HLOGB-01-06-CW	6W	POR
HLOGB-01-06-WW	6W	POR
HLOGB-01-09-CW	9W	POR
HLOGB-01-09-WW	9W	POR



SPIKE LIGHT

LED based spike light with pressure die cast aluminium housing, enclosed with toughened glass. IP65

HLOSPL-01-03-CW	3W	POR
HLOSPL-01-03-WW	3W	POR
HLOSPL-01-06-CW	6W	POR
HLOSPL-01-06-WW	6W	POR



STEP LIGHT

LED based recess step light with aluminium die cast housing.

HLOSTL-04-03-CW	3W	POR
HLOSTL-04-03-WW	3W	POR



UNDERWATER LIGHT

LED based underwater light with die cast aluminium housing enclosed with glass diffuser. IP68

HLOUWL-01-03-CW	3W	POR
HLOUWL-01-03-WW	3W	POR
HLOUWL-01-09-CW	9W	POR
HLOUWL-01-09-WW	9W	POR

PRODUCT CAT REF NO. SYSTEM WATTAGE M.R.P. (IN ₹.)



FLARE

Indoor Decorative LED T5 batten with opal diffuser.

HLB-01-04-CW	4W	900.00
HLB-01-04-WW	4W	900.00
HLB-01-07-CW	7W	1200.00
HLB-01-07-WW	7W	1200.00



Indoor Decorative LED T8 batten with opal diffuser.

HLB-02-20-CW	20W	1900.00
HLB-02-20-WW	20W	1900.00



FLARE PLUS

Indoor Decorative LED T5 batten with opal diffuser.

HLB-03-04-CW	4W	900.00
HLB-03-04-WW	4W	900.00
HLB-03-08-CW	8W	1350.00
HLB-03-08-WW	8W	1350.00
HLB-03-16-CW	16W	1750.00
HLB-03-16-WW	16W	1750.00



ASTRAL SUPER

Energy efficient & super saver LED 7 W MR16 lamp.

LED 7 W MR16 CW	7W	1500.00
LED 7 W MR16 WW	7W	1500.00



ASTRAL PLUS

Energy efficient & super saver LED 7 W GU10 lamp.

LED 7 W GU10 CW	7W	1200.00
LED 7 W GU10 WW	7W	1200.00



KORNET

Recess mounting LED Down lighters with integrated driver.

HLDLR-07-5.5-CW	5.5W	1200.00
HLDLR-07-5.5-WW	5.5W	1200.00
HLDLR-07-10-CW	10W	2000.00
HLDLR-07-10-WW	10W	2000.00
HLDLR-07-13-CW	13W	2500.00
HLDLR-07-13-WW	13W	2500.00
HLDLR-07-18-CW	18W	3000.00
HLDLR-07-18-WW	18W	3000.00



**CONSUMER
LIGHTING**

PRODUCT CAT REF NO. SYSTEM WATTAGE M.R.P. (IN ₹.)



KORNET PLUS

Recess mounting LED Down lighter with integrated driver.

HLDLR-07-5.5-CW	5.5W	1200.00
HLDLR-07-5.5-WW	5.5W	1200.00



MINI - ROUND

Recess mounting LED Mini Spot light in Round shape. Also available in white finish.

LED MINI DL RND 1W CW	1W	800.00
LED MINI DL RND 1W WW	1W	800.00
LED MINI DL RND 3W CW	3W	1000.00
LED MINI DL RND 3W WW	3W	1000.00



MINI - SQUARE

Recess mounting LED Mini Spot light in Square & Round shapes. Also available in white finish.

LED MINI DL SQR 1W CW	1W	800.00
LED MINI DL SQR 1W WW	1W	800.00
LED MINI DL SQR 3W CW	3W	1000.00
LED MINI DL SQR 3W WW	3W	1000.00



STRIP LIGHT

Single color LED flexible Strip light.

HLFSL-01-30-CW	30W	POR
HLFSL-01-30-WW	30W	POR
HLFSL-01-60-CW	60W	POR
HLFSL-01-60-WW	60W	POR

HALONIX LED ADVANTAGES

- Excellent performance → With best quality LEDs
- Low maintenance → Long Life of upto 50,000 hrs.
- Excellent thermal management → Ideal heat dissipation with good quality heat sink
- Reduces power consumption → Saves lighting and HVAC load with energy efficient LED products
- Instant start → Safe instantaneous light output
- High luminous efficacy → Good system efficacy with least losses
- Lower ownership cost → Can achieve lower payback period with maintenance free LED products
- Better colour rendering → Excellent visual perception even in dark thus ideal for CCTV
- LEED certification → Contains green lighting with no UV/IR radiations and causes no light pollution



COMMERCIAL
LUMINAIRES

PRODUCT CAT REF NO. LAMP TYPE LAMP BASE LP (IN ₹.)

PRODUCT CAT REF NO. LAMP TYPE LAMP BASE LP (IN ₹.)



Recessed mounted soft light luminaires with powder coated housing in Round (L1) / Square (L2) perforation for CFL's - IP20

HCR02 236CF MO L1/L2	2X36W CFL	2G11	3685.00
HCR02 236CF E3 L1/L2	2X36W CFL	2G11	3785.00



Recessed/surface mounted optics luminaires with serrated cross louver reflector suitable for T5 FTLs. Also available Parabolic bright anodized Al reflector - IP20

HCR01 128T5 E3 S1	1X28 T5	G5	3500.00
HCR01 228T5 E3 S1	2X28 T5	G5	3970.00



Recess mounted mirror optics luminaires with P5 louvers suitable for CFL's - IP20

HCR07 236CF MO P5	2X36W CFL	2G11	4150.00
HCR07 236CF E3 P5	2X36W CFL	2G11	4250.00
HCR07 336CF MO P5	3X36W CFL	2G11	4610.00
HCR07 336CF E3 P5	3X36W CFL	2G11	4760.00



Recessed/surface mounted mirror optics luminaires with serrated cross louver reflector for T8 FTLs. Also available Parabolic bright anodized Al reflector. - IP20

HCR01 36T8 E3 S1	1X36 T8	G13	3500.00
HCR01 236T8 E3 S1	2X36 T8	G13	3970.00



Recess mounted mirror optics luminaires for CFL's with round perforation and P5 louvers - IP20

HCR07 218CF E3 P5	2X18W CFL	G24	2550.00
-------------------	-----------	-----	---------



Surface mounted mirror optics luminaires with Parabolic bright anodized Al reflector and decorative plastic end caps suitable for FTLs. - IP20

HCS01 136T8 MO S1	1X36 T8	G13	2670.00
HCS01 136T8 E3 S1	1X36 T8	G13	2670.00
HCS01 236T8 MO S1	2X36 T8	G13	3400.00
HCS01 236T8 E3 S1	2X36 T8	G13	3400.00



Recessed mounted mirror optics luminaires with parabolic bright anodized reflector suitable for FTL's - IP20

HCR01 418T8 MO S1	4X18 T8	G13	4500.00
HCR01 418T8 E3 S1	4X18 T8	G13	4800.00



Surface mounted mirror optics luminaires with parabolic bright anodized reflector and decorative plastic end caps suitable for T5 lamp.-IP20

HCS01 128T5 E3 S1	1X28 T5	G5	2670.00
HCS01 228T5 E3 S1	2X28 T5	G5	3400.00



Recessed mounted mirror luminaires with serrated cross louver reflector suitable for T5 FTLs. Also Available Parabolic bright anodized Al reflector - IP20

HCR01 414T5 E3 S1	4X14 T5	G5	4700.00
HCR01 314T5 E3 S1	3X14 T5	G5	4700.00



Surface mounted mirror optics luminaires with parabolic bright anodized Al reflector and decorative plastic end caps suitable for twin CFLs. - IP20

HCS01 211CF MO S1	2X11W CFL	G23	1900.00
HCS01 218CF MO S1	2X18W CFL	G24	2000.00

PRODUCT CAT REF NO. LAMP TYPE LAMP BASE LP (IN ₹.)



Recess mounted mirror optics luminaires with parabolic bright anodized Al reflector suitable for twin CFLs- IP20

HCR08 211CF MO FS	2 X 11W CFL	G23	2000.00
HCR08 211CF MO S1	2 X 11W CFL	G23	1900.00



Indoor commercial recess mounted luminaires CRCA powder coated housing, opal diffuser fixed in sheet steel powder coated frame bright anodized aluminium reflector complete with all accessories. - IP54

HCR13 336CF MO AC	3X36W CFL	2G11	POR
HCR13 414T5 E3 AC	4X14W T5 FTL	G5	POR



Recessed mounted CFL downlighter suitable for single 13W CFL in horizontal lamp position with Satin Bright (SB) reflector with option of frosted glass (FG) and Central Frosted Glass (CFG) with Magnetic ballast (MO) or Electronic ballast (E3). - IP20

HDR01 13 CF MO SB	1X13 CFL	G24	1150.00
HDR01 13 CF E3 SB	1X13 CFL	G24	1350.00
HDR01 13CF MO SB FG	1X13 CFL	G24	1700.00
HDR01 13CF E3 SB FG	1X13 CFL	G24	1700.00
HDR01 13 CF MO SB CFG	1X13 CFL	G24	1700.00
HDR01 13 CF E3 SB CFG	1X13 CFL	G24	1700.00



Recessed mounted CFL downlighter suitable for single 18W CFL in horizontal lamp position with Satin Bright (SB) reflector with option of Frosted Glass (FG) and Center Frosted Glass (CFG) with Magnetic ballast (MO) or Electronic ballast (E3). -IP20

HDR01 18 CF MO SB	1X18 CFL	G24	1150.00
HDR01 18 CF E3 SB	1X18 CFL	G24	1350.00
HDR01 18CF MO SB FG	1X18 CFL	G24	1700.00
HDR01 18CF E3 SB FG	1X18 CFL	G24	1700.00
HDR01 18 CF MO SB CFG	1X18 CFL	G24	1700.00
HDR01 18 CF E3 SB CFG	1X18 CFL	G24	1700.00

PRODUCT CAT REF NO. LAMP TYPE LAMP BASE LP (IN ₹.)



Recessed mounted CFL downlighter suitable for twin 18W CFL in horizontal lamp position with Satin Bright (SB) reflector with options of Frosted Glass (FG) and Centre Frosted Glass (CFG) with Magnetic ballast (MO) or Electronic ballast (E3). - IP20

HDR01 218 CF MO SB	2X18 CFL	G24	1450.00
HDR01 218 CF E3 SB	2X18 CFL	G24	1600.00
HDR01 218CF MO SB FG	2X18 CFL	G24	1900.00
HDR01 218CF E3 SB FG	2X18 CFL	G24	2050.00
HDR01 218 CF MO SB CFG	2X18 CFL	G24	1900.00
HDR01 218 CF E3 SB CFG	2X18 CFL	G24	2050.00



Recessed mounted CFL downlighter suitable for twin 26W CFL in horizontal lamp position with Satin Bright (SB) reflector with option of Frosted Glass (FG) and Center Frosted Glass (CFG) with Magnetic ballast (MO) or Electronic ballast (E3). - IP20

HDR01 226CF MO SB FG	2X26W CFL	G24	2450.00
HDR01 226CF E3 SB FG	2X26W CFL	G24	3050.00



Recessed mounted CFL downlighter suitable for single 11W CFL RF in vertical lamp position with Satin Bright (SB) reflector and Frosted Glass (FG). - IP20

HDR01 11 CF RF FG	1X11 CFL RF	B22	650.00
-------------------	-------------	-----	--------



Recessed mounted CFL downlighter suitable for single 13W CFL in vertical lamp position with Satin Bright (SB) reflector with Magnetic Ballast (MO) or Electronic Ballast (E3)- IP20

HDR05 13 CF MO SB	1X13W CFL	G24	1000.00
HDR05 13 CF E3 SB	1X13W CFL	G24	1150.00



Recessed mounted CFL downlighter suitable for single 18W CFL in vertical lamp position with Satin Bright (SB) reflector with Magnetic ballast (MO) or Electronic ballast (E3). - IP20

HDR05 18CF MO SB	1X18W CFL	G24	1150.00
HDR05 18CF E3 SB	1X18W CFL	G24	1300.00

PRODUCT CAT REF NO. LAMP TYPE LAMP BASE LP (IN ₹.)

PRODUCT CAT REF NO. LAMP TYPE LAMP BASE LP (IN ₹.)



Recessed square mounted CFI downlighter suitable for twin 18W CFL in horizontal lamp position with Bright anodized (BA) reflector and Center Frosted Glass (CFG) with Magnetic ballast (MO) or Electronic ballast (E3). - IP20

HDR01 218CF MO SQ	2X18W CFL	G24	1600.00
HDR01 218CF E3 SQ	2X18W CFL	G24	1700.00



Surface mounted ceiling light, spun aluminum housing, powder coated finish with milky glass suitable for CFI.-IP20

HDS08 218CF MO	2X18W CFL	G24	2850.00
----------------	-----------	-----	---------



Wall bracket mounted decorative light, powder coated housing with milky glass suitable for GLS/CFL lamp.-IP20

HHW049 100GL	1X100W GLS	B22	1950.00
HHW049 13CF	1X13W CFL	G24	2260.00



Surface mounted mirror light, powder coated housing with frosted glass suitable for CFL.-IP20

HDS09 215CF RF	2X15W CFL RF	B22	2300.00
----------------	--------------	-----	---------



Wall bracket mounted glare free light, powder coated housing with magnetic ballast suitable for CFL.-IP20

HHW51 13CF	1X13W CFL	G24	2200.00
HHW51 18CF	1X18W CFL	G24	2250.00



Wall bracket mounted decorative glare free light, powder coated housing suitable for CFL.-IP20

HHW01 15CF RF	1X15W CF RF	B22	1600.00
---------------	-------------	-----	---------



Surface mounted CFL ceiling light, powder coated housing with milky glass cover.-IP20

HCS02 15CF RF	1X15W CF RF	B22	1600.00
HCS05 13CF	1X13W CFL	G24	1900.00



Square shaped surface mounted ceiling light, SS housing with semi frosted glass cover suitable for CFL RF.-IP20

HDS02 11CF RF	1X11W CFL RF	B22	1700.00
HDS02 211CF RF	2X11W CFL RF	B22	1800.00



INDUSTRIAL
LUMINAIRES

PRODUCT CAT REF NO. LAMP TYPE LAMP BASE LP (IN ₹.)



Industrial channel for FTL with powder coated CRCA sheet housing with all accessories.-IP20

HIB01 136T8 MO	1X36 T8	G13	1075.00
HIB01 136T8 E3	1X36 T8	G13	1075.00
HIB01 236T8 MO	2X36 T8	G13	1525.00



Commercial channel for FTL with pre-coated sheet housing and complete with all accessories - IP20

HIB05 136 T8 E3 PS	1X36W T8	G13	745.00
HIB05 236 T8 E3 PS	2X36W T8	G13	1245.00
HIB05 128 T5 E3 PS	1X28W T5	G5	840.00
HIB05 236 T5 E3 PS	2X28W T5	G5	1313.00



Industrial channel for T5 lamps powder coated CRCA sheet housing complete with all accessories.-IP20

HIB04 128T5 E3	1X28W T5	G5	1100.00
HIB04 228T5 E3	2X28W T5	G5	1500.00



Industrial reflector for FTL channel in CRCA duty Powder coated (PC) or AL . Sheet duty Bright anodized (BA) finish.

HIF02 236T8 PC	2X36W T8		650.00
HIF02 236T8 BA	2X36W T8		860.00
HIF02 228T5 PC	2X28W T5		650.00
HIF02 228T5 BA	2X28W T5		860.00



Industrial reflector for FTL channel in CRCA duty Powder Coated (PC) or AL sheet duty Bright anodized (BA) finish.

HIF01 136T8 PC	1X36W T8		550.00
HIF01 136T8 BA	1X36W T8		700.00
HIF01 128T5 PC	1X28W T5		550.00
HIF01 128T5 BA	1X28W T5		700.00

PRODUCT CAT REF NO. LAMP TYPE LAMP BASE LP (IN ₹.)



Integral top mounted induction high bay luminaire with anodized spun aluminum reflector & Die cast housing. Also available in closed version - IP54

HIH-I01-150-SO IND	HIL-C-150-CW IND		42000.00
HIH-I01-150-CG IND	HIL-C-150-CW IND		43900.00
HIH-I01-200-SO IND	HIL-C-200-CW IND		48500.00
HIH-I01-200-CG IND	HIL-C-200-CW IND		50500.00



Integral top mounted Highbay (Side Opening) with pressure die cast Al housing, bright anodized Al reflector and complete with all accessories for HPSV Lamp-IP20

HIH03 250SV IT SO	1X250W HPSV-E	E40	8200.00
HIH03 400SV IT SO	1X400W HPSV-E	E40	9250.00



Integral closed type Top Mounted High bay (Side Opening) with pressure die cast Al housing, bright anodized reflector, toughened glass and complete with all accessories for HPSV/MH Lamp-IP54

HIH04 250SV IT SO CG	1X250W HPSV-E	E40	9465.00
HIH04 250MH IT SO CG	1X250W MH-E	E40	9465.00
HIH04 400SV IT SO CG	1X400W HPSV-E	E40	10400.00
HIH04 400MH IT SO CG	1X400W MH-E	E40	10400.00



Non integral vertical well glass luminaires die cast aluminum housing, heat resistant glass & galvanised wire guard for HPSV/HPMV/MH Lamp-IP65

HIW01 70SV NI	1X70W HPSV-E	E27	2200.00
HIW01 70MH NI	1X70W MH-E	E27	2200.00
HIW01 80MV NI	1X80W HPMV	E27/B22	2200.00
HIW01 125MV NI	1X125W HPMV	E27/B22	2200.00



Integral vertical well glass luminaires made of pressure die cast aluminum housing, heat resistant glass & galvanised wire guard and complete with all accessories for HPSV/HPMV/MH Lamp-IP65

HIW03 70SV IT	1X70W HPSV-E	E27	3550.00
HIW03 70MH IT	1X70W MH-E	E27	3550.00
HIW03 80MV IT	1X80W HPMV	E27/B22	3425.00
HIW03 125MV IT	1X125W HPMV	E27/B22	3425.00
HIW03 150SV IT	1X150W SV	E40	5450.00

PRODUCT	CAT REF NO.	LAMP TYPE	LAMP BASE	LP (IN ₹.)
---------	-------------	-----------	-----------	------------



Integral side mounted well glass luminaires made of pressure die cast aluminum housing & control gear housing, heat resistant glass & galvanised wire guard and complete with all accessories for HPSV/HPMV/MH Lamp-IP65

HIW01 80MV IT	1X80W HPMV	E27/B22	4450.00
HIW01 125MV IT	1X125W HPMV	E27/B22	4450.00
HIW01 70SV IT	1X70W HPSV-E	E27	4600.00
HIW01 70MH IT	1X70W MH-E	E27	4600.00



Integral side mounted well glass luminaires made of pressure die cast aluminum housing & Control gear housing, heat resistant glass & galvanised wire guard and complete with all accessories for HPSV/MH - IP65

HIW01 150SV IT	1X150W SV-E	E40	6475.00
HIW01 150MH IT	1X150W MH-E	E40	6500.00



Industrial bulkhead luminaires suitable for GLS/CFL lamp die cast aluminum housing, heat resistant glass & galvanised wire guard.IP43

HBH01 100GL	1X40-100W GLS	B22	750.00
HBH01 10CF MO	1X10W CFL	G24	925.00



PVC extruded industrial batten suitable for 28W T5 lamp with bright anodized foil reflector and electronic ballast with THD<10%.- IP20

HIH11 28T5 E1 MO	1X28W T5	G5	925.00
------------------	----------	----	--------



Indoor industrial T5 lamps closed high bay luminaires with anodized aluminum reflector, complete with all accessories & electronic ballast.

HIH10 428T5 E3	4X28 T5	G5	10000.00
HIH10 454T5 E1	4X54 T5	G5	12225.00





STREET
LIGHTING
LUMINAIRES

PRODUCT CAT REF NO. LAMP TYPE LAMP BASE LP (IN ₹.)



Street light luminaires, with aluminum housing, CRCA sheet reflector cum gear tray duly powder coated with acrylic cover and all accessories for FTL-IP43

HSD08 36T8	1X36W T8	G13	2050.00
HSD08 236T8	2X36W T8	G13	3030.00
HSD08 28T5	1X28W T5	G5	2150.00
HSD08 228T5	2X28W T5	G5	3150.00



Street light luminaires, with MS housing, or CRCA sheet reflector cum gear tray duly powder coated with acrylic cover and all accessories for FTL-IP43

HSD08 36T8 MS	1X36W T8	G13	1995.00
HSD08 236T8 MS	2X36W T8	G13	2950.00
HSD08 28T5 MS	1X28W T5	G5	2070.00
HSD08 228T5 MS	2X28W T5	G5	3050.00



Street light luminaires, deep drawn aluminum or MS housing, bright anodized aluminum reflector with acrylic cover and all accessories for twin T5 lamps -IP54

HSD06 214T5 E3	2X14W T5	G5	3350.00
HSD06 224T5 E3	2X24W T5	G5	3350.00
HSD06 214T5 E3 MS	2X14W T5	G5	3200.00
HSD06 224T5 E3 MS	2X24W T5	G5	3200.00



Street light luminaires, deep drawn aluminum or MS housing, bright anodized reflector with acrylic cover and all accessories for four T5 lamps - IP54

HSD15 414T5 E3	4X14W T5	G5	6550.00
HSD15 424T5 E3	4X24W T5	G5	6650.00
HSD15 414T5 E3 MS	4X14W T5	G5	6500.00
HSD15 424T5 E3 MS	4X24W T5	G5	6600.00



Street light luminaires, deep drawn aluminum or MS housing, bright anodized reflector with acrylic cover and all accessories suitable for non retrofit CFL lamp. -IP54

HSD16 36 CF	1X36W CFL	2G11	1845.00
HSD16 36 CF MS	1X36W CFL	2G11	1730.00

PRODUCT CAT REF NO. LAMP TYPE LAMP BASE LP (IN ₹.)



Street light luminaires, deep drawn aluminum housing and acrylic cover for retrofit CFL-IP43

HSD16 45CF RF	1X45W CFL RF	E27/B22	1700.00
HSD16 85CF RF	1X85W CFL RF	E27/B22	1800.00



Street light luminaires, deep drawn aluminum or MS housing, bright anodized reflector with acrylic cover and all accessories suitable for non retrofit CFL-IP54

HSD19 85CF RF B22	1X85W CFL RF	B22	1950.00
HSD19 85CF RF AL	1X85W CFL RF	B22/E27/E40	2000.00



Street light luminaires, Single piece deep drawn aluminum housing, bright anodized aluminum side reflectors with toughend glass and all accessories for HPSV/MH Lamp-IP65

HSD03 70SV FG SR	1X70W HPSV-E	E27	4200.00
HSD03 70MH FG SR	1X70W MH-E	E27	4200.00
HSD03 150SV FG SR	1X150W HPSV-E	E40	5800.00
HSD03 150MH FG SR	1X150W MH-E	E40	5800.00
HSD03 250SV FG SR	1X250W HPSV-E	E40	6555.00
HSD03 250MH FG SR	1X250W MH-E	E40	6555.00



Street light luminaires, single piece die cast aluminum housing, bright anodized aluminum POT reflector with acrylic cover and all accessories for HPSV/MH Lamp-IP54

HSC01 70SV AC PP	1X70W HPSV-T	E27	4750.00
HSC01 70SV AC PP	1X70W MH-T	E27	4750.00



Street light luminaires, single piece die cast aluminum housing, bright anodized aluminum POT reflector with acrylic cover and all accessories for HPSV/MH Lamp-IP54

HSC04 150SV AC SP	1X150 HPSV-T	E40	6950.00
HSC04 150MH AC SP	1X150 MH-T	E40	6950.00
HSC04 250SV AC SP	1X250 HPSV-T	E40	7750.00
HSC04 250MH AC SP	1X250 MH-T	E40	7750.00

PRODUCT CAT REF NO. LAMP TYPE LAMP BASE LP (IN ₹.) PRODUCT CAT REF NO. LAMP TYPE LAMP BASE LP (IN ₹.)



Street light luminaires, single piece die cast aluminium housing, bright anodized aluminium POT reflector with toughened glass and all accessories for HPSV/MH Lamp-IP65

HSC02 70SV FG SP	1X70W HPSV-T	E27	4550.00
HSC02 70MH FG SP	1X70W MH-T	E27	4550.00



Street Light Luminaire, single piece die cast aluminium housing, bright anodized aluminium POT reflector with toughened glass and all accessories for HPSV/MH lamp IP-65

HSC03 150SV FG SP	1X150W HPSV-T	E-40	6700.00
HSC03 150MH FG SP	1X150W MH-T	E-40	6700.00



Street light luminaires, single piece die cast aluminium housing, bright anodized aluminium POT reflector with toughened glass and all accessories for HPSV/MH Lamp-IP65

HSC05 150SV FG SP	1X150 HPSV-T	E40	6700.00
HSC05 150MH FG SP	1X150 MH-T	E40	6700.00
HSC05 250SV FG SP	1X250 HPSV-T	E40	7500.00
HSC05 250MH FG SP	1X250 MH-T	E40	7500.00



Street light luminaires, single piece die cast aluminium housing, bright anodized aluminium POT reflector with frame toughened glass, top opening with universal mounting arrangement and all accessories for HPSV/MH Lamp-IP66

HSC07 150SV CG SP TO	1X150 HPSV-T	E40	POR
HSC07 150MH CG SP TO	1X150 MH-T	E40	POR
HSC07 250SV CG SP TO	1X250 HPSV-T	E40	POR
HSC07 250MH CG SP TO	1X250 MH-T	E40	POR
HSC07 400MH CG SP TO	1X400 MH-T	E40	POR
HSC07 400SV CG SP TO	1X400 SV-T	E40	POR



Street light luminaires, die cast aluminium housing, bright anodized aluminium POT reflector with frame toughened glass, top opening with universal mounting arrangement and all accessories for HPSV/MH Lamp-IP66

HSC09 70SV CG SP TO	1X70W HPSV-T	E27	POR
HSC09 70MH CG SP TO	1X70W MH-E	E27	POR



Street light luminaires, die cast aluminium housing, bright anodized aluminium POT reflector with frame toughened glass, Top opening and all accessories for HPSV/MH Lamp-IP66

HSC11 150SV CG SP TO	1X150 HPSV-T	E40	POR
HSC11 150MH CG SP TO	1X150 MH-T	E40	POR
HSC11 250SV CG SP TO	1X250 HPSV-T	E40	POR
HSC11 250MH CG SP TO	1X250 MH-T	E40	POR



Bottom opening induction street light luminaires, single piece die cast aluminium housing bright anodized aluminium POT reflector with toughened glass and all accessories. IP65

HISL-C01-040-FG-IND STREET LIGHT	HIL-T-40-CW-IND	26600.00
HISL-C01-080-FG-IND STREET LIGHT	HIL-T-80 WW-IND	34700.00



FLOOD
LIGHT
LUMINAIRES

PRODUCT CAT REF NO. LAMP TYPE LAMP BASE LP (IN ₹.)

PRODUCT CAT REF NO. LAMP TYPE LAMP BASE LP (IN ₹.)



Non integral symmetrical flood light with die cast aluminum housing and toughened glass. IP54
HFN01 21 SM NI 1X150/250/400W HPSV/MH E-40 6475.00



Non integral symmetrical flood light with die cast aluminum housing and toughened glass. IP54
HFN02 25SM NI 1X1000W HPSV-T E-40 15000.00
HFN02 25SM NI 1X1000W MH-T E-40 15000.00



Asymmetrical Halogen flood light with die cast aluminum housing and toughened glass. IP54
HFC02 500TH 1X500W TH Rx7s 1800.00
HFC02 1000TH 1X1000W TH Rx7s 2600.00



Non integral twin lamp asymmetrical flood light with die cast aluminum housing and toughened glass. IP65
HFC02 225SV SM NI 2X250W HPSV-T E-40 8325.00
HFC02 225MH SM NI 2X250W MH-T E-40 8325.00
HFC02 240SV SM NI 2X400W HPSV-T E-40 8325.00
HFC02 240MH SM NI 2X400W MH-T E-40 8325.00



Non integral oval shape twin lamp asymmetrical flood light with die cast housing and toughened glass. IP65
HFC08 225SV SM NI 2X250W HPSV-T E-40 8550.00
HFC08 225MH SM NI 2X250W MH-T E-40 8550.00
HFC08 240SV SM NI 2X400W HPSV-T E-40 8550.00
HFC08 240MH SM NI 2X400W MH-T E-40 8550.00



Non Integral asymmetrical flood light with die cast aluminum housing & toughened glass. IP65
HFC06 150SV AS NI 1X150W HPSV-T E-40 5300.00
HFC06 250SV AS NI 1X250W HPSV-T E-40 5300.00
HFC06 400SV AS NI 1X400W HPSV-T E-40 5300.00
HFC06 250MH AS NI 1X250W HPSV-T E-40 5300.00
HFC06 400MH AS NI 1X400W HPSV-T E-40 5300.00
HFC08 1000MH AS NI 1X1000W MH-T E-40 9500.00
HFC08 1000SV AS NI 1X1000W SV-T E-40 9500.00



Integral asymmetrical hoarding flood light die cast aluminum housing & toughened glass complete with all accessories. IP65
HFC03 70MH DE IT 1X70W MH DE Rx7s 5100.00
HFC03 150MH DE IT 1X150W MH DE Rx7s 5700.00



Integral asymmetrical hoarding flood light with die cast aluminum housing & toughened glass complete with all accessories. IP65
HFC04 150SV IT 1X150W HPSV-T E-40 8075.00
HFC04 150MH IT 1X150WMH-T E-40 8075.00



Integral asymmetrical hoarding flood light die cast aluminum housing & toughened glass complete with all accessories. IP65
HFC05 250SV IT 1X250W HPSV-T E-40 8900.00
HFC05 250MH IT 1X250W MH-T E-40 8900.00
HFC05 400SV IT 1X400W HPSV-T E-40 10200.00
HFC05 400MH IT 1X400W MH-T E-40 10200.00




Integral asymmetrical floodlight die cast aluminium housing & complete with all accessories, - IP65
HFC05 250 SV/MH IT WOB 1X250W HPSV/MH-T E-40 6175.00
HBO01 250 S/MH 2725.00
HFC05 400 SV/MH IT WOB 1X400W HPSV/MH-T E-40 6205.00
HBO01 400 S/MH 3995.00



Induction integral flood light with die cast aluminum housing, anodized aluminum reflector with glass visor and rear control gear. IP65
HIFL-C02-150-RC IND 150-IND-T HIL-T-150-CW-IND 50520.00
HIFL-C02-200-RC IND 200-IND-T HIL-T-200-CW-IND 57000.00



Induction integral flood light with die cast aluminum housing, anodized aluminum reflector with glass visor and rear control gear. IP65
HIFL-C01-080 IND 80-IND-T HIL-T-80-CW-IND 35000.00
HIFL-C01-120 IND 120-IND-T HIL-T-120-CW-IND 43700.00



LAMPS &
ACCESSORIES

PRODUCT CAT REF NO. LAMP TYPE LP (IN ₹.)



Deep drawn CRCA sheet control gear box with copper wound ballast HPF capacitor, electronic ignitor, mains connector for HPSV/MH lamps-IP54

HGD01 70S/MH	1X70W HPSV/MH	3070.00
HGD01 150S/MH	1X150W HPSV/MH	3600.00
HGD01 250S/MH	1X250W HPSV/MH	4595.00
HGD01 400S/MH	1X400W HPSV/MH	5660.00
HGD01 1000S/MH	1X1000W HPSV/MH	13000.00



Deep drawn CRCA sheet control gear box with copper wound ballasts HPF capacitors, electronic ignitors, mains connectors for HPSV/MH lamps-IP54

HGD02 225S/MH	2X250W HPSV/MH	8630.00
HGD02 240S/MH	2X400W HPSV/MH	11175.00



Die cast aluminum control gear box with copper wound ballasts HPF capacitor, electronic ignitor, mains connector for HPSV/MH lamps-IP65

HGC01 70S/MH	1X70W HPSV/MH	3950.00
HGC01 150S/MH	1X150W HPSV/MH	4550.00
HGC01 250S/MH	1X250W HPSV/MH	5400.00
HGC01 400S/MH	1X400W HPSV/MH	6750.00



Die cast aluminum control gear box with copper wound ballasts HPF capacitors, electronic ignitors, mains connectors for HPSV/MH lamps-IP65

HGC02 225S/MH	2X250W HPSV/MH	9850.00
HGC02 240S/MH	2X400W HPSV/MH	12700.00



Open construction vacuum impregnated (VPIT) copper wound ballast suitable for HPSV/MH lamps

HBO01 70S/MH	1X70W HPSV/MH	1225.00
HBO01 150S/MH	1X150W HPSV/MH	1850.00
HBO01 250S/MH	1X250W HPSV/MH	2725.00
HBO01 400S/MH	1X400W HPSV/MH	3995.00

PRODUCT CAT REF NO. LAMP TYPE LP (IN ₹.)



Open construction vacuum impregnated (VPIT) copper wound ballast suitable for HPMV lamps

HBO02 80MV	1X80W HPMV	1260.00
HBO02 125MV	1X125W HPMV	1290.00
HBO02 250MV	1X250W HPMV	1925.00
HBO02 400MV	1X400W HPMV	2850.00



Open construction vacuum impregnated (VPIT) copper wound ballast suitable for FTL and CFL

HBO01 18/20T8	1X18/20W FTL	350.00
HBO01 36/40T8	1X36/40W FTL	350.00
HBO01 9/11CF	1X9/11W CFL	290.00
HBO01 13CF	1X13W CFL	290.00
HBO01 18CF	1X18W CFL	290.00



Electronic ballast with housing of engineering plastic suitable for CFL

HBE04 9-13CF	1X9/13W CFL	300.00
HBE04 18CF	1X18W CFL	300.00



High efficiency electronic ballast with metallic housing suitable for CFL, FTL and T5 lamps having THD <30%

HBE20 18T8 E3	1X18W T8 FTL	595.00
HBE20 36T8 E3	1X36W T8 FTL	595.00
HBE20 36CF E3	1X36W CFL	595.00
HBE20 226CF E3	2X26W CFL	840.00
HBE20 236CF E3	2X36W CFL	900.00
HBE20 236T8 E3	2X36W T8 FTL	900.00
HBE20 14T5 E3	1X14W T5 FTL	625.00
HBE20 214T5 E3	2X14W T5 FTL	765.00
HBE20 24T5 E3	1X24W T5 FTL	625.00
HBE20 224T5 E3	2X24W T5 FTL	950.00
HBE20 28T5 E3	1X28W T5 FTL	625.00
HBE20 228T5 E3	2X28W T5 FTL	950.00

PRODUCT CAT REF NO. LAMP TYPE LP (IN ₹.) PRODUCT WATTAGE LAMP BASE PACK SIZE M.R.P. (IN ₹.)



Low loss high efficiency electronic ballast with metallic housing suitable for CFL, FTL and T5 lamps having THD <10%

HBE20 36T8 E1	1X36W T8 FTL	930.00
HBE20 36CF E1	1X36W CFL	930.00
HBE20 236T8 E1	2X36W T8 FTL	1055.00
HBE20 236CF E1	2X36W CFL	1055.00
HBE20 14T5 E1	1X14W T5 FTL	955.00
HBE20 214T5 E1	2X14W T5 FTL	1080.00
HBE20 414T5 E1	4X14W T5 FTL	1600.00
HBE20 24T5 E1	1X24W T5 FTL	955.00
HBE20 224T5 E1	2X24W T5 FTL	1080.00
HBE20 28T5 E1	1X28W T5 FTL	955.00
HBE20 228T5 E1	2X28W T5 FTL	1080.00
HBE20 154T5 E1	1X54W T5 FTL	1825.00
HBE20 254T5 E1	2X54W T5 FTL	1925.00



High efficiency sleek design electronic ballast with metallic housing suitable for T5 lamps
HBE03 28T5 E3 1X28W T5 FTL 525.00



Electronic ballast with engineering palstic housing suitable for FTL/CFL
HBE02 36T8 E3 1X36W T8 FTL 280.00
HBE02 36CF E3 1X36W CFL 280.00




Capacitor suitable for FTL, HPMV, HPSV and MH lamps

HCAP01 4MFD	1XT8/T12 FTL	90.00
HCAP01 8MFD	1XT8/T12/80W HPMV	125.00
HCAP01 10MFD	70W HPSV-MH/80/125W HPMV	160.00
HCAP01 15MFD	250W HPMV	200.00
HCAP01 20MFD	400W HPMV/150W HPSV/MH	270.00
HCAP01 33MFD	250W HPSV/MH	425.00
HCAP01 42MFD	400W HPSV/MH	475.00



Ignitor suitable for HPSV and MH lamps

HIGN01 SD	HPSV/MH Short distance (2mts.)	175.00
HIGN01 LD	HPSV/MH Long distance (30mts.)	225.00
HIGN01 SI	HPSV/MH Super Imposed Ignitor	600.00



MH - DOUBLE ENDED

70W	Rx7s	1 25	560.00
150W	Rx7s	1 25	585.00



MH - SINGLE ENDED TUBULAR

70W T 38	E27	1 30	720.00
150W T 38	E27	1 30	740.00
150W T 46	E40	1 12	740.00
250W T 46	E40	1 12	875.00
400W T 46	E40	1 12	920.00



MH - SINGLE ENDED ELLIPTICAL CLEAR

70W ED55	E27	1 25	720.00
150W ED55	E27	1 25	740.00
250W ED90	E40	1 12	1000.00
400W ED120	E40	1 9	1100.00



MH - SINGLE ENDED ELLIPTICAL COATED

70W ED55	E27	1 25	720.00
150W ED55	E27	1 25	740.00
150W ED90	E40	1 12	740.00
250W ED90	E40	1 12	1000.00
400W ED120	E40	1 9	1100.00



G12 BI - PIN

70W	G12	1 25	900.00
150W	G12	1 25	930.00

PRODUCT	WATTAGE	LAMP BASE	PACK SIZE	M.R.P. (IN ₹.)
---------	---------	-----------	-----------	----------------



HPSV - SINGLE ENDED TUBULAR

70W T38		E27	1 30	460.00
150W T46		E40	1 12	485.00
250W T46		E40	1 12	570.00
400W T46		E40	1 12	670.00



HPSV - SINGLE ENDED ELLIPTICAL COATED

70W ED55		E27	1 25	460.00
150W ED90		E40	1 12	485.00
250W ED90		E40	1 12	570.00
400W ED120		E40	1 9	670.00

Terms & Conditions:

- All prices are subject to our general terms and conditions of business
- The prices are inclusive of excise duty wherever applicable, at the prevailing rates but exclusive of taxes, octroi and other local levies, if any which shall be charged extra as applicable at the time of dispatch
- Any statutory variation will be customer's account
- Maximum Retail Price (MRP) wherever mentioned are inclusive of excise duty and sales tax as per the prevailing rates
- All prices of luminaires are per unit basis and without lamps (except LED & Induction luminaires)
- Please contact authorize Halonix representative for prices marked as "POR"
- The image depicted in the price list may vary from the actual product
- Non integral luminaires when used with HID lamps require separate control gear of appropriate rating
- Dealers may sell at prices lower than the list price
- Prices are subject to change without any prior notice as per company discretion
- This price list supersedes all earlier pricelists
- Disputes if any will be subject to NOIDA jurisdiction only
- The goods remain the property of HALONIX TECHNOLOGIES LIMITED till receipt of the invoice value
- HALONIX TECHNOLOGIES LIMITED reserves the right of continuous improvement in product to modify technical specification or dimensions in order to achieve product enhancement without prior notice

Notes:

- The suffix MO, E3 and E1 in the cat. Ref. Stands for magnetic ballast, electronic ballast with THD <30% and <10% respectively
- The suffix CW/NW/WW in the cat. Ref. Nos. stands for Cool White/Neutral White/Warm White respectively